# Mount Pleasant, Tennessee Departmental Reports - May 2024



**Upcoming Events** 

5/08/24 - 5:30 PM Recreation Commission Meeting

5/14/24 - 6 PM Planning Commission Meeting

> 5/16/24 - 6 PM Commission Study Session

5/21/24 - 6 PM Commission Meeting

5/27/24 Memorial Day City Hall Closed

Join the City's
Text Notification
Program to
Receive Important
Alerts &
Announcements



**TEXT: MPCITY TO:** (931) 340-7700

Utility staff attended the Tennessee Gas Association Conference in Murfreesboro.





# PARKS & RECREATION

#### **ALYSHIA BUSBY**

The Easter Bunny has come and gone and our little town was blessed with a huge egg hunt and a beautiful day for some family fun! We had over 5,000 eggs, 1,000 free ice cream cones from McDonalds, 75 certificates from the Pizza Place, 60 prize baskets, 30 Chocolate Bunnies and 6 Bicycles and some amazing sponsors who make events like this happen. With over 475 children registered for prizes, eggs where gone in seconds and prizes where drawn as pictures with the Bunny where taken!




Thank you to South Side Baptist Church for bringing the games and the baskets they give away. Thank you to Luemma McWilliams for all the prizes, Thank you to Bedford Smith for being our DJ and announcer, Thank you to all the Parks and Recreation Board who was able to show up and help, and Thank you to my family for always being there when I need you! I would also like to thank each and everyone of you who showed up, who bring your children out and participate in the events we host! You are the other reason this events work!

## **FINANCE**

#### **SHIPHRAH COX**

The finance office collected delinquent taxes & started the budget process for fiscal year 2024-2025. Cash in checking and certificates of deposit in the general fund total \$4,068,413.86. The Water/Sewer Fund has operating funds, including savings and certificates of deposit totaling \$1,327,852.74. The Water/Wastewater construction funds account has a balance of \$2,378,303.18 customer deposits regular & savings in the amount of \$660,503.20 The gas fund has operating funds, including savings and certificates of deposit totaling \$4,770,823.53. The customer deposits in gas total \$719,955.97.

#### City of Mount Pleasant



#### **Property Taxes 2023**


Total Parcels for 2023: 2,600

Ad Valorem Tax \$53,190.00

Pickup Tax \$26,365.00

Tax Roll \$2,947,054.00

Collected Property Tax February 2024- \$2,849,383.10



## POLICE DEPARTMENT

#### MICHAEL HAY

Officer Holland attended a week long DUI Detection and Standardized Field Sobriety-Testing Instructor Class in Chattanooga. Sergeant Norwood attended an Interviewing & Interrogation for Criminal Investigators class in Gatlinburg. Chief Hay strongly feels continued training and education is a priority for our officers. Plus, supplementary training is mandatory for the officers to maintain certification.

Chief Hay had received some complaints from citizens about vehicles parking on the side of Blue Grass Avenue obstructing the view of drivers trying to exit Howard Street. Since Maury County General Sessions started holding court in their new facility, the limited parking area forces people to look for parking on the side of the streets. Chief Hay did reach out to an engineer with the Municipal Technical Advisory Service (MTAS) to discuss those issues and Chief Hay's recommendation to change the direction for the one-way traffic. Currently, the traffic flows north to south. The review by the MTAS Engineer did agree with Chief Hay's proposal of reversing the traffic direction to flow from south to north. In the meantime, the police department has installed orange cones in close proximity to the Howard Street exit on Blue Grass Avenue to prevent court attendees from parking there. However, we realize this is just a temporary fix. We will be making this recommendation to the Mayor and Commissioners.



The officers issued a shoplifting citation to a subject at one of the local Dollar General Stores. Joint law enforcement agencies planned a Mock Crash that was to be dramatized at Mount Pleasant High School. However, due to inclement weather, emergency personnel had to improvise and complete the indoor portion only.

Our department assisted Main Street Mount Pleasant with Cruzin on the Square on Saturday, March 16, 2024. There was great weather for the event and lots of people showed up. Our officers blocked South Main Street, from the intersection at Hay Long to Bond Street. The officers set up barricades to close the square for the event.

# PLANNING DEPARTMENT

#### **CHRIS BROOKS**

The Building and Planning Department has issued 13 various types of permits so far in April. The Sugar Creek development is getting ready to start several new homes in the next few days. If you have any summer projects that you are thinking about, and not sure if you need a permit, give us a call and we will be glad to assist you.




The Dollar General on the north side of town is currently on schedule and should be completed in a few months.



## FIRE DEPARTMENT

#### PHILLIP GROOMS

The Mount Pleasant Fire Department (MPFD) responded to a total of (123) calls for service. Calls for service included: four (4) fires; sixty-two (62) emergency medical responses; four (4) hazardous conditions, no fire; forty-two (42) public service and good intent calls; and ten (10) false alarms: eleven (5) burn permits were issued in the city. Community risk reduction activities included twenty-six (26) fire inspections at local business and industry. Lastly, the department issued installed twelve (12) smoke alarms in residential homes.





The department presented several educational classes to the community. In partnership with Tennessee Highway Patrol, Columbia Fire and Rescue, Maury 911, and Maury Regional EMS presented "Survive to Arrive" program to Mt. Pleasant High School juniors and seniors. The purpose was to educate drivers about the importance of not be distracted while operating motor vehicles. Also, department public education instructors held CPR classes at Fuel Total Systems for company employees. Lastly, part-time Firefighter Caleb Clayton, presented fire and life safety education to college students at UT Southern, in Pulaski. Caleb is graduating this spring from UT Southern with a Bachelors in Public Health Education. Congratulations Caleb!

OCCUPANCY	DATE	INSPECTOR	RESULTS	NOTES
Inspection Type: Fire Ins	pection			
Bri's Homemade Ice Cream	03/16/2024	Willard, Ben	Passed	No violations found during fire inspection.
Springer's Fresh Squeezed Lemonade and Fried Pies	03/16/2024	Willard, Ben	Passed	No violations found during fire inspection.
Mount Pleasant City Hall	03/25/2024	Willard, Ben	Passed with Comments	2018 IFC 315.3.2 - Combustible materials store under stairway. 2018 IFC 604.6 - Open junction box in commissioner's office.
Mount Pleasant Launderette	03/25/2024	Willard, Ben	Passed with Comments	2018 IFC 906 - Fire extinguishers should be inspected and tagged annually. Current fire extinguisher is 3-years out of date.
Mount Pleasant Community Center	03/25/2024	Willard, Ben	Passed	No violations found during fire inspection.
Hamilton Place - Suite #1 Twisted Copper / Suite #2 Vacant / Upstairs Residential Lofts	03/26/2024	Willard, Ben	Passed	No violations found during fire inspection.
Mount Pleasant Group Home	03/27/2024	Willard, Ben	Passed	No violations found during fire inspection.
Diabetes Management Associates / Digital Trigger (Mount Pleasant Business Center)	03/27/2024	Willard, Ben	Passed with Comments	2018 IFC 604.3 Working space of not less than 30" in width, 36" in depth, and 78" in height shall be provided in front of electrical service equipment.
By Pass Market	03/28/2024	Willard, Ben	Second Correction Notice	2018 IFC 1018.4 & 3205.4 Aisle Access/ Maintenance - Minimum clearance of 30" aisles should be kept clear of storage, waste, debris. 2018 IFC 604.3, 604.5, & 604.6 - Working space minimum clearance of 36" provided in front of the electrical panel. Extension cords can not be used as permanent wiring, are temporary use only for only 90-days. Open junction boxes and wire splices are prohibited. 2018 IFC 906 -Fire extinguishers should be accessible at the gas pumps. 2018 IFC 505.1 - Addressing should be visible for the street. 2018 IFC 315.3.1 - Combustibles to close to ceiling. 2018 IFC 607 - Cooking hood and duct system not cleaned within 6months.
Dari Gem	03/28/2024	Willard, Ben	Pending	Per sign on posted at business. As of 3/18/2024 business is closed for remodeling. Left form on site requesting a reschedule of the fire inspection once remodel is complete.
Maury Regional Medical Group	04/03/2024	Willard, Ben	Correction Notice Issued	2018 IFC 1031.10 Emergency Lights not activating when test button pushed (8) in total. 2018 IFC 305,1 & 315.3.1 - Combustibles to close to heat producing devices and ceiling. Combustibles must be 30" from natural gas devices or 18" from electrical devices. Combustibles must be 18" from the ceiling in sprinkled buildings. Reinspection in 30 days. (Wed. 5/8/2024 at 9am.)
Mount Pleasant Nutrition	04/05/2024	Willard, Ben	Passed	No violations found during fire inspection
Mount Pleasant Post Office	04/05/2024	Willard, Ben	Passed with Comments	Electrical box in the basement needs face cover put back on.
Mount Pleasant Museum	04/05/2024	Willard, Ben	Passed with Comments	Fire extinguishers need to be tagged and serviced.

LLC. #2 / JCA Body Shop  O4/09/2024  Willard, Ben  Passed  Mount Pleasant Power System Warehouse  Wount Pleasant Power System Board Room  Wount Pleasant Power System Seak Room  Wount Pleasant Power System Seak Room  Wount Pleasant Power System Seak Room  Wount Pleasant Public Library  Willard, Ben  Passed  No violations found during fire inspection.  Storage in electrical room needs to be rearranged.  2018 IFC 901 and NFPA 25 Inspection of Fire Sprinkler System is required annually and FSS Gauges are required to be inspected every 5 years. A maintenance tag is required to be placed on the sprinkler system and risers rooms shall be labeled	OCCUPANCY	DATE	INSPECTOR	RESULTS	NOTES
Sample   S	Inspection Type: F	ire Inspection	1		
Custard  O4/11/2024 Willard, Ben Passed No violations found during fire inspection.  Wount Pleasant Power System Warehouse  O4/11/2024 Willard, Ben Passed No violations found during fire inspection.  Wount Pleasant Power System Board Room  O4/11/2024 Willard, Ben Passed No violations found during fire inspection.  Wount Pleasant Power System Board Room  O4/11/2024 Willard, Ben Passed No violations found during fire inspection.  Wount Pleasant Power System Break Room  O4/11/2024 Willard, Ben Passed No violations found during fire inspection.  O4/11/2024 Willard, Ben Passed No violations found during fire inspection.  Storage in electrical room needs to be rearranged.  2018 IFC 901 and NFPA 25 Inspection of Fire Sprinkler System is required annually and FSS Gauges are required to be placed on the sprinkler system and records shall be maintained for the life of the system. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be labeled with an approved sign. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be labeled with an approved sign. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be inspected every 5 years. A maintenance tag is required to be placed on the sprinkler system and resors rooms shall be labeled with an approved sign. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be prohibited. Must be covered by an approved cover. 2018 IFC 604.3 A working space not less than 30° in width, 36° in depth, and 78° in height shall be provided in front of electrical service equipment. 2018 IFC 603.3 A variety Data Sheets (SDS or MSDS) shall be readily available for hazardous materials on site. Reinspection in 14-days (Thursday April 25th, 2024 at 11am)		04/09/2024	Willard, Ben	Passed	following compliance notice items being completed in 30-days: 2018 IFC Table 2306.2.3 Protected above-ground tanks must be: 5 feet from buildings 15 feet from lot lines 3 feet from other storage tanks 2018 IFC 2306.3 Security – Tanks storing motor oil/fuels shall be safeguarded from public access or unauthorized entry in an approved manner. 2018 IFC 2306.4 Protection - Guard post shall be provided to protect tanks against impact by motor vehicle unless tank is listed as protected with vehicle impact protection. 2018 IFC 5703.5 Signage – The Fire Code Official is authorized to require warning signs identifying hazards of storing/using flammable liquids. 2018 IFC 5003.4 Safety Data Sheets – Shall be readily available on premises for hazardous materials. Commercial Consumer work may resume in the front building (dealership). The Stop Work Order on the Back Building (Body Shop & Paint Booth) will stay in place. No commercial operation can take place at all in the back building because it is not in compliance with code. If they want to get into compliance, they will need to pull all applicable permits – building permit from the City and electrical permit from the State – before resuming any
System Warehouse  Mount Pleasant Power System Board Room  Mount Pleasant Power System Break Room  Mount Pleasant Power System  Mount Pleasant Power System  Mount Pleasant Power System  System Break Room  Mount Pleasant Power System  Mount Pleasant Power System  System Break Room  Mount Pleasant Power System  System Break Room  Mount Pleasant Power System  Mount Pleasant Power System Power System  System Break Room  Mount Pleasant Power System Power System  Mount Pleasant Power System System And Power System  Mount Pleasant Power System Power System Power System Passed  Mount Pleasant Power System Power System Power System Passed  Mount Pleasant Power System Power System Power System Passed  Mount Pleasant Power System Power System Power System Passed  Mount Pleasant Power System Power System Passed  No violations found during fire inspection.  No violations found during fire inspection.  Storage in electrical room needs to be rearranged.  2018 IFC 901 and NFPA 25 Inspection of Fire Sprinkler System is required annually and FSS Gauges are required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A maintenance tag is required to be inspected every 5 years. A		04/10/2024	Willard, Ben	Passed	No violations found during fire inspection.
Mount Pleasant Power System Board Room  Mount Pleasant Power System Break Room  Mount Pleasant Public Library  Out 11/2024  Willard, Ben  Passed No violations found during fire inspection.  Storage in electrical room needs to be rearranged.  2018 IFC 901 and NFPA 25 Inspection of Fire Sprinkler System is required annually and FSS Gauges are required to be inspected every 5 years. A maintenance tag is required to be placed on the sprinkler system and records shall be maintained for the life of the system. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be labeled with an approved sign. 2018 IFC 1031.2 Required exits shall be continuously maintained free from obstructions.  2018 IFC 604.3 A working space not less than 30° in width, 36° in depth, and 78° in height shall be provided in front of electrical service equipment. 2018 IFC 5003.4 Safety Data Sheets (SDS or MSDS) shall be readily available for hazardous materials on site. Reinspection in 14-days (Thursday April 25th, 2024 at 11am)	Mount Pleasant Power System Warehouse	04/11/2024	Willard, Ben	Passed	No violations found during fire inspection.
Mount Pleasant Power System Break Room  Mount Pleasant Public Library  O4/11/2024  Willard, Ben  Passed  No violations found during fire inspection.  Storage in electrical room needs to be rearranged.  2018 IFC 901 and NFPA 25 Inspection of Fire Sprinkler System is required annually and FSS Gauges are required to be placed on the sprinkler system and records shall be maintained for the life of the system. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be labeled with an approved sign. 2018 IFC 1031.2 Required exits shall be continuously maintained free from obstructions. 2018 IFC 604.6 Open Junction boxes/outlets shall be prohibited. Must be covered by an approved cover. 2018 IFC 604.3 A working space not less than 30" in width, 36" in depth, and 78" in height shall be provided in front of electrical service equipment. 2018 IFC 5003.4 Safety Data Sheets (SDS or MSDS) shall be readily available for hazardous materials on site. Reinspection in 14-days (Thursday April 25th, 2024 at 11am)	Mount Pleasant Power	04/11/2024	Willard, Ben	Passed	No violations found during fire inspection.
Mount Pleasant Public Library  O4/11/2024  Willard, Ben  Passed with Comments  Storage in electrical room needs to be rearranged.  2018 IFC 901 and NFPA 25 Inspection of Fire Sprinkler System is required annually and FSS Gauges are required to be inspected every 5 years. A maintenance tag is required to be placed on the sprinkler system and records shall be maintained for the life of the system. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be labeled with an approved sign. 2018 IFC 1031.2 Required exits shall be continuously maintained free from obstructions. 2018 IFC 604.6 Open Junction boxes/outlets shall be prohibited. Must be covered by an approved cover. 2018 IFC 604.3 A working space not less than 30" in width, 36" in depth, and 78" in height shall be provided in front of electrical service equipment. 2018 IFC 5003.4 Safety Data Sheets (SDS or MSDS) shall be readily available for hazardous materials on site. Reinspection in 14-days (Thursday April 25th, 2024 at 11am)	Mount Pleasant Power System Board Room	04/11/2024	Willard, Ben	Passed	No violations found during fire inspection.
Discipleship House  O4/11/2024  Willard, Ben  O4/11/2024  Willard, Ben  O4/11/2024  Willard, Ben  Second Correction Notice  O4/11/2024  Willard, Ben  O4/11/2024  Willard, Ben	Mount Pleasant Power System Break Room	04/11/2024	Willard, Ben	Passed	No violations found during fire inspection.
Discipleship House  O4/11/2024  Willard, Ben  Willard, Ben  Willard, Ben  Second Correction Notice  Willard, Ben  Second Correction Notice  Willard, Ben  Second Correction Notice  Second Correction Notice  Willard, Ben  Second Correction Notice  Second Notice Second Notice Second Notice Second Notice Second Notice Second Notice Second Notice Second Notice Second Notice Second Not	Mount Pleasant Public Library	04/11/2024	Willard, Ben		Storage in electrical room needs to be rearranged.
Total # Inspections for: Fire Inspection: 22	Discipleship House	04/11/2024	Willard, Ben	Correction	is required annually and FSS Gauges are required to be inspected every 5 years. A maintenance tag is required to be placed on the sprinkler system and records shall be maintained for the life of the system. 2018 IFC 901.4.6.2 - Access doors to automatic sprinkler system and risers rooms shall be labeled with an approved sign. 2018 IFC 1031.2 Required exits shall be continuously maintained free from obstructions. 2018 IFC 604.6 Open Junction boxes/outlets shall be prohibited. Must be covered by an approved cover. 2018 IFC 604.3 A working space not less than 30" in width, 36" in depth, and 78" in height shall be provided in front of electrical service equipment. 2018 IFC 5003.4 Safety Data Sheets (SDS or MSDS) shall be readily available for hazardous materials on site. Reinspection in 14-days (Thursday April 25th, 2024 at
Total // inoposition for the inoposition. Ze				Total # Inspe	ections for: Fire Inspection: 22

OCCUPANCY	DATE	INSPECTOR	RESULTS	NOTES					
Inspection Type: Fire Prevention Inspection									
The Barn Restaurant	03/22/2024	Kelley, Josh	Pre-Plan Only	No possible hazards or violations found during fire prevention inspection.					
Mount Pleasant Community Center	03/23/2024	Cockrell, Brent	Passed with Comments	Passed with comments.  Obstructed Exits: Exits aisles for the pubic shall not be less than 36" in width (IFC 1017.2 / 1028  Violations were corrected before issuing a passed fire inspection.					
			Total # Inspections for: Fire Prevention Inspection : 2						
OCCUPANCY	DATE	INSPECTOR	RESULTS	NOTES					
Inspection Type: Reinspec	tion								
Mount Pleasant Grille	04/04/2024	Willard, Ben	Passed	No violations found during fire reinspection; all previous violations corrected.					
By Pass Market	04/12/2024	Willard, Ben	Third Correction Notice	boxes/wire splices prohibited, approved covers should be on all outlets. Violations of 2018 IFC 604.3 Electrical Panel working space, 2018 IFC 607 Cooking Hood/Duct Cleaning, 2018 IFC 906 Fire extinguishers. has been corrected.					
			Total # Inspections for: Reinspection: 2						
			TOTAL # INSPECTIONS: 26						



# DID YOU KNOW MOUNT PLEASANT FIRE OFFERS FREE SMOKE ALARMS?

Yes it's true! In cooperation with the State of Tennessee Fire Marshal's office, we are able to offer free smoke alarms AND installation to Mount Pleasant City Residents. If any resident would like their smoke alarms checked or replaced, contact the Mount Pleasant Fire Department: (931) 379-3939

# STREETS & SANITATION

#### TED HOWELL

Municipal Solid Waste 200 Tons

Aluminum Recycled 000 Lbs

Bulky Brush Pickup Call: (931) 325-5701



Main Street Canaan Road **Gray Street** Polk Lane Zion Road

**Potholes Repaired** 

#### **Bulky and Brush Pickup**

Bulky Trash and Excess Yard Waste collection is provided by appointment only. (931) 325-5701

Request Online: https://www.mtpleasant-tn. gov/brush-pickup

City Residents can call anytime to schedule a pickup of yard waste caused by natural growth or due to storm damage.



# **HUMAN RESOURCES**

#### LAYTOYA ALDERSON

The City of Mount Pleasant employs 74 Full-time and 19 part-time employees. The City had no worker comp claims and one property damage claims for the month of April.

We are happy to present the following employees whose employment anniversaries were in April.

Charles Webster (Community Services Department) 43 years George Armstrong (Community Services Department) 7 years James Dye (Community Services Department) 3 years Laytoya Alderson (Human Resource Department) 28 years Brent Cockrell (Fire Department) 12 years Ted Howell (Public Works/ Utilities Director) 2 years



#### **May Birthdays**

Charles Collier Shiphrah Cox Benjamin Willard Brian Finn Sean Kelly Zackary Kirk

# **UTILITIES**

#### TED HOWELL

#### Wastewater Plant/Lagoons

Plant March 2024 - 18.89 MG Rain March 2024 - 5.57 inches Plant March 2023 - 20.61 MG Rain March 2023 - 5.21 inches

#### Lagoons

Upper Lagoon (30%) Lower Lagoon (040%)

#### Water Treated / Water Sold

Water Treated March 2024 - 32.70 MG Water Sold March 2024 - 15.54 MG Water Treated March 2023 - 42.25 MG Water Sold March 2023 - 16.90 MG T vs S

47.52%

32.34%

**Tennessee One Calls**March 2024 - 86

Terressee [1]

**Utility Distribution System** 

Water Leaks Repaired (08) Water Meter Changes (14) Gas Meter Changes (02)

Spray Field - 00 MG





The Mount Pleasant Water System makes every effort to ensure that our customers enjour a continuous supply of safe drinking water. We appreciate the help of our customers to maintain the quality of our water supply.

Cross-Connections can cause the water system to become contaminated.

A cross-connection is a link with the public water supply and a possible source of contamination. An example of a cross-connection would be a garden hose submerged in a source of contamination such as a swimming pool, car radiator or other liquid. If a water main break should occur or if a fire pumper used a fire hydrant while the hose was submerged in a source of contamination, the contaminant could be pulled back into the public water supply. This occurrence, known as backflow, can be prevented.

One simple way to stop backflow is by using an air gap. An air gap can be created by rranging your hose so that the end is at least six inches above the rim of the container it being used to fill. This air gap will prevent the contaminant from being siphoned into the water supply.

Another method of preventing backflow with a garden hose is using a device known as a racuum breaker. Vacuum breakers are inexpensive devices that can be screwed onto you outside faucet. These devices will prevent contaminants from being siphoned back into your plumbing and the public water system.

More hazardous cross-connections or cross-connections created with permanently installed plumbing may require more sophisticated devices known as reduced pressure backflow preventers. These devices are much more complicated and must be tested annually by certified testers.

For more information on preventing cross-connections and protecting our water supply, contact the Mount Pleasant Water System at 931-379-7717.

REMEMBER: Never submerge your garden hose in anything you would not want to drink!

#### PRESENTED BY SMELTER SERVICE



CELEBRATE 200 YEARS OF

# **MOUNT PLEASANT**

JOIN US FOR FIREWORKS, FOOD AND MUSIC.

July 4th at 7 PM



We are excited to extend a special invitation to you and your family for our upcoming Touch-A-Truck event! Get ready for a day filled with excitement, exploration, and hands-on fun for all ages.

Date: June 1st, 2024 Time: 10 AM until 1 PM Location: Haylong Ave

Explore a diverse array of trucks, from fire engines and construction vehicles to police cars and more. Get up close, touch, and even climb aboard these fascinating machines.

Interactive

Engage in interactive and

story time designed to delight and inspire. From truck-themed games to story time themed with trucks, there's something for everyone. You will have the opportunity to sign up for the Mount Pleasant Library Summer Reading Program and event get your own library card if you don't have one already! This event is perfect for families, friends, and truck enthusiasts of all ages.